Can link aggregation be performed on an access switch



Overview

Configuring Link Aggregation Group and Link Aggregation ControlLACP enables a network device, such as a switch, to negotiate an automatic bundling of links.

Key Takeaways

Yes, link aggregation can be performed on an access switch to combine multiple uplinks into a single logical connection for increased bandwidth and redundancy.

Overview

Link aggregation, defined by IEEE 802. 1AX (formerly 802. 3ad), allows multiple physical Ethernet ports to operate as a single logical link, called a Link Aggregation Group (LAG).

This provides higher bandwidth, fault tolerance, and load balancing between connected devices ( ). On an access switch, link aggregation is commonly used for uplinks to distribution or aggregation switches to prevent bottlenecks and ensure network resilience ( ).

Types of Link Aggregation

Static Link Aggregation: Ports are manually grouped without protocol negotiation. It is simpler but does not detect link failures automatically ( ). Dynamic Link Aggregation (LACP): Uses the Link Aggregation Control Protocol to automatically negotiate which ports participate in the LAG, detect failures, and maintain compatibility between devices ( ).

© 2026 EXF OPTICAL NETWORKS - All rights reserved

MLA

G (Multi-Chassis Link Aggregation): Advanced configuration allowing aggregation across two physical switches, eliminating single points of failure and enabling active-active forwarding ( ).

Practical Considerations for Access Switches

Uplink Aggregation: Typically, access switches aggregate two or more uplinks to a distribution or aggregation switch to increase throughput and provide redundancy ( ). Configuration: On Cisco devices, multiple interfaces can be grouped into a Port-Channel using commands like channel-group 1 mode active for LACP. Other vendors, like Huawei, use Eth-Trunk ( ).

Redundancy: If one link fails, traffic automatically shifts to remaining links without disruption ( ). Load Balancing: Traffic is distributed across aggregated links using hash algorithms based on source/destination MAC or IP addresses ( ). Best Practices: Run aggregated cables over separate physical paths to minimize simultaneous failures and ensure proper VLAN configuration on all member ports ( ).

Summary

Performing link aggregation on an access switch is a standard practice in enterprise networks. It enhances uplink bandwidth, provides redundancy, and simplifies management by treating multiple physical links as a single logical interface. Both static and dynamic (LACP) aggregation are supported, and advanced MLAG setups can further improve resilience and efficiency.

Proper configuration and adherence to best practices ensure optimal performance and fault tolerance ( ).

Article Content

Configuring Link Aggregation Group and Link Aggregation Control

LACP enables a network device, such as a switch, to negotiate an automatic bundling of links by sending LACP packets to the peer device. The LACP is a control protocol over LAG to check for any

Understanding Switch Aggregation: A Comprehensive

A: An access switch is typically located at the edge of the network and connects end-user devices, while an aggregation switch is situated in the

Link Aggregation: Static vs Dynamic, LACP, and MLAG

This article provides a comprehensive explanation of link aggregation — covering LACP, static vs dynamic link aggregation, and MLAG

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Link aggregation

Nortel''s split multi-link trunking (SMLT) protocol allows multiple Ethernet links to be split across multiple switches in a stack, preventing any single point of failure and additionally allowing all switches to be

What Is an Aggregation Switch and How to Choose?

Therefore, link aggregation must be supported by aggregation switches in order to ensure that the access layer has enough bandwidth and that it can continue to function even if one of the

Redundant Link Connection From Access Switch To HA Aggregation

Solved: Dear Support, I am configuring an access switch with main fiber link connection to Aggregation/core switch and a second fiber link connection to the same Aggregation/core switch.

Link Aggregation, LAG, LACP and MLAG in 2026: Design, Best

Network-Switch can help you pick the right switches, design the right topology, and validate your link aggregation strategy so it works the way you expect, not just in the lab-but in production.

Link Aggregation on Cisco Switch

Learn how to configure a Cisco Switch Link Aggregation using the command-line, by following this simple step-by-step tutorial, you will be able to create a new Link aggregation and

Aggregated Ethernet Interfaces Overview | Junos OS | Juniper Networks

You can configure LAGs to connect a QFX Series product or an EX4600 switch to other switches, like aggregation switches, servers, or routers. This example describes how to configure LAGs to connect

Core, Aggregation, or Access Switches? Choose the Perfect Fits

Selecting between core, aggregation, and access switches is not only technical — it''s strategic. Once you know what your network needs, choosing the right type of switch will optimize

What Is an Aggregation Switch and How to Choose?

An aggregation switch is a network device that consolidates traffic from multiple access switches, wireless access points, or other edge devices and forwards it to core switches or routers.

Tenda 2.5 Gbit Switch with 8X 2.5G Ports & 2X 10G SFP

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Note: the LAN switch only supports static link aggregation and does not support dynamic link aggregation (802.3ad, LACP) Plug and play: Thanks to plug and play, setting up the network switch

Enhance Your Network with a Link Aggregation Switch: Benefits ...

Discover the benefits, configuration, and best practices of using a link aggregation switch to enhance your network. Combine multiple Ethernet links into a single logical link seamlessly.

Configuring LAG Settings on a Switch through the Command Line ...

Objective Link Aggregation Group (LAG) multiply the bandwidth, increase port flexibility, and provide link redundancy between two devices. Link Aggregation Control Protocol (LACP) is a

Link Aggregation Switches: A Guide to LACP, LAG, and Throughput

Provide network redundancy and throughput enhancements with link aggregation techniques, including link aggregation switching and dynamic link aggregation.

Link Aggregation: Static vs Dynamic, LACP, and MLAG

Understand how link aggregation (LACP, MLAG, static vs dynamic) improves bandwidth and redundancy. Learn configuration steps on Cisco and

What is Link Aggregation (LAG) in Networking?

Link aggregation, sometimes referred to as LAG, which stands for Link Aggregation Groups, refers to the feature of network devices that allow the combining of

What are Link Aggregation Groups (LAGs) and how do

Link aggregation lets a switch treat multiple physical links between two endpoints as a single logical link. All the physical links in a Link Aggregation

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved