Coarse Wavelength Division Multiplexer Brands



Overview

Our CWDM products separate wavelength into bands of 20 nanometers to cover the complete fiber optical communication spectrum from 1270 nm to 1610 nm.

Key Takeaways

Leading CWDM brands include Corning, Pro Optix, HP, and FICER, offering a range of multiplexers for metropolitan and access networks.

Key CWD

M Brands and Offerings1. Corning Corning provides CWDM modules that can mux or demux multiple optical signals across 4, 8, or 16 channels, with wavelength bands spaced 20 nm apart covering 1270 nm to 1610 nm. They also offer optical add-drop modules (OADMs) capable of adding or dropping 1 to 15 channels, suitable for metropolitan and access network applications, with custom channel plans available on request.

2. Pro Optix Pro Optix specializes in CWDM and DWDM multiplexers, supporting up to 18 wavelengths per fiber pair for CWDM. Their product lines include the Standard, OFM, and MINI series, featuring LC connectivity and high-density CS connectivity options.

These multiplexers are designed for short-distance applications (up to 120 km) and offer flexibility in rack space utilization. 3.

H

© 2026 EXF OPTICAL NETWORKS - All rights reserved

P (Hewlett Packard Enterprise) HP's CWDM family includes 4- and 8-wavelength multiplexer/demultiplexer modules with add/drop capabilities. These modules are protocol-independent and can integrate with existing SFP-based network infrastructure.

HP CWD

M solutions are designed for scalable and easy-to-deploy metropolitan area networks, supporting dual-fiber connections and color-coded wavelength-specific SFPs. 4.

FICER FICE

R offers a broad range of CWDM transceivers and multiplexers compatible with various data rates, including 10G, 25G, 40G, 50G, 100G, 200G, 400G, and 800G.

Their CWD

M solutions support multiple form factors such as SFP, QSFP, XFP, and CFP, providing flexibility for high-speed optical networks.

Summary

These brands provide CWDM solutions tailored for different network scales and requirements: Corning focuses on modular and customizable OADMs, Pro Optix emphasizes high-density and short-distance CWDM, HP offers scalable metro network modules, and FICER provides high-speed transceivers and multiplexers for modern optical networks. When selecting a CWDM brand, consider channel count, distance, add-drop functionality, and compatibility with existing network equipment.

Article Content

SpectraMux® CWDM | OEM Optical Communication Solutions | Corning

Our CWDM products separate wavelength into bands of 20 nanometers to cover the complete fiber optical communication spectrum from 1270 nm to 1610 nm. These CWDM products cover 4-channel,

Wavelength Division Multiplexing – WDM, coarse,

It details the two main standards: coarse WDM (CWDM), with few channels and wide spacing for applications like metropolitan networks, and dense WDM

Wavelength Division Multiplexing – Buyer''s Guide & Suppliers

This buyer''s guide for wavelength division multiplexing provides technical background, comparison of major types, selection criteria, and an overview of suppliers.

Wavelength-division multiplexing

© 2026 EXF OPTICAL NETWORKS - All rights reserved

WDM systems are divided into three different wavelength patterns: normal (WDM), coarse (CWDM) and dense (DWDM). Normal WDM (sometimes called BWDM)

Coarse Wavelength Division Multiplexing

Corning coarse wavelength division multiplexing (CWDM) solutions utilize advanced thin-film-filter technology. CWDM solutions are available in industry-standard 20 nm spacing with options for a

Wavelength-Division Multiplexing (WDM)

Two types are available: integrated arrayed waveguide gratings (AWG), offering low cost, compact size, and precise ITU grid alignment; and discrete filter-based WDMs, providing greater flexibility to

Global Compact Coarse Wavelength Division Multiplexer (CCWDM)

Chapter 2, to profile the top manufacturers of Compact Coarse Wavelength Division Multiplexer (CCWDM), with price, sales quantity, revenue, and global market share of Compact Coarse

An in-depth analysis of the Compact Coarse Wavelength Division ...

Compact Coarse Wavelength Division Multiplexers (CCWDM) are essential optical devices that enable efficient transmission of multiple signals over a single optical fiber by utilizing...

Worldwide Coarse Wavelength Division Multiplexer Market Research

Regulatory frameworks play a pivotal role in shaping the landscape of the Worldwide Coarse Wavelength Division Multiplexer (CWDM) market. These regulations govern various aspects,

Wave Division Multiplexers | WDM, CWDM, DWDM | FIBERONE

This is possible through our variety of fiber optic connectors and adapter options. Please click individual Wavelength Division Multiplexer (WDM, CWDM, or DWDM) below to find out more information or to

8 Channel Coarse Wavelength Division Multiplexer

8 Channel Coarse Wavelength Division Multiplexer ACP''s Coarse Wavelength Division Multiplexer (CWDM) utilizes thin film coating technology and proprietary design of non-flux metal bonding micro

What is CWDM Coarse Wavelength Division Multiplexing?

The “coarse” in its name refers to the relatively wide spacing between these wavelengths. Unlike its more sophisticated cousin Dense Wavelength Division Multiplexing (DWDM),

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Channel Coarse Wavelength Division Multiplexer

Product Description Wavelength Division Multiplexer (WDM) is based on thin film technology. This proven technology offers wide channel bandwidth, channel configuration, low insertion loss, and high

Coarse Wave Division Multiplexer (CWDM) – PPC Broadband

Coarse Wavelength Division Multiplexer (CWDM) available with multiple options, configurations, and form factors PPC CWDM multiplexers use an 18 channel configuration and 20nm spacing to create a

Coarse Wavelength Division Multiplexing (CWDM)

CWDM (Coarse Wavelength Division Multiplexing) is an optical multiplexing technology for city and access networks. The transmission takes place in up to

Wave Division Multiplexers | WDM, CWDM, DWDM | FIBERONE

Each wave division multiplexer, coarse wavelength division multiplexer, and dense wavelength division multiplexer is bi-directional and exerts low insertion loss. Just as all of FIBERONE''s other fiber optic

Defining Coarse Wavelength Multiplexing

Coarse Wavelength Division Multiplexing (CWDM) enables simultaneous transmission of multiple data signals over a single optical fiber up to medium distances.

Coarse Wavelength Division Multiplexer on Silicon-On-Insulator for

Abstract—A four-channel cascaded MZI based de-multiplexer at O-band with coarse channel spacing of 20 nm and band flatness of 13 nm is demonstrated on silicon-on-insulator. The device shows a mean

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved