
Default gateway for PoE switches



Overview

Plug the switch into a power outlet and connect your computer to the switch using an Ethernet cable. The default IP address of the switch is 192. PoE: Power over Ethernet (PoE) is a technology that allows Ethernet cables to carry electrical power, along with data, to powered devices. There are equivalent functions in the web interface and the command line interface, while web configuration is easier and more visual than. The TOUGHSwitch is a managed switch designed to deliver Power over Ethernet (PoE) on the 10/100/1000 ports you have configured for PoE. It also features a variety of features, including port monitoring, system connection and management services, Virtual Local Area Network (VLAN) configuration. If you are using static IP addresses in your network, configure the switch IP address before you connect the switch to a network. The ports LEDs will turn off to indicate that the reset was. A default route in TCP/IP network is a setting that tell the device how to forward the packets when their destination IP is not in the same subnet of the device. If we want a device to access the Internet, we need to configure the default route.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

PoE Configuration Guide

These sections provide information about the conditions required for a PoE capable switch to provide power, how the PoE-capable switch identify the power requirement of the powered device, and how

Accessing the Switch

You can access TP-Link JetStream switches using the GUI or CLI. Follow the steps to log in and manage your switch.

TOUGHSwitch PoE User Guide

Note: PoE is disabled by default on all numbered ports and is not available on the Management port. To enable PoE on the appropriate ports, use the Ports tab in the Configuration Interface (see “PoE” on

NETGEAR 8-Port Multi-Gigabit Smart Managed Pro Switch with two

Enter the static IP address, subnet mask, and default gateway IP address that you want to assign to the switch. Click the Apply button. Your settings are saved. Connect devices to the RJ-45 network ports

PoE Web Smart Switch Series User''s Guide

Configure the switch IP address, subnet mask, gateway IP address, and DNS settings to match the requirements of your existing network using the fields provided, then click Next.

How to configure the default gateway of the smart and managed

When we want to use NTP (Network Time Protocol), access the switch remotely, or some other functions that need the switch acting like a computer that can access the Internet by

What is the default IP address of my NETGEAR Smart Switch, Smart

By default, your NETGEAR Smart Switch, Smart Cloud Switch (with Remote/Cloud Management), or Easy Smart Managed Switch attempts to get a dynamic IP address using DHCP.

Dahua Managed Gigabit PoE Switch

We suggest you to change default HTTP and other service ports into any set of numbers between 1024–65535, reducing the risk of outsiders being able to guess which ports you are using.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

TOUGHSwitch PoE Pro TS-8-PRO Quick Start Guide

Note: PoE is disabled by default on all numbered ports and is not available on the Management port. To enable PoE on the appropriate ports, use the Ports tab in the Configuration Interface. Ensure that

The correct connection method between PoE switches and routers

At this point, you can connect a PoE switch to the LAN port of the router, and then use an Ethernet cable to connect the Uplink port (or regular port) of the PoE switch to the Uplink port (or

Cisco 890 Series Integrated Services Routers Data Sheet

Cisco 890 Series ISRs come with an 8-port managed switch, providing LAN ports to connect multiple devices. An optional Power-over

5G Failover Setup for Business Internet | UniFi Guide 2026

Step-by-step guide to setting up 5G cellular failover with UniFi equipment. Ensure business continuity with automatic internet backup.

Cisco C9350 Series Smart Switches Data Sheet

This data sheet provides detailed information about the Cisco C9350 Series Smart Switches including port and PoE options, power supplies, fans, and

Layer 3 Routing – Ubiquiti Help Center

Layer 3 Routing allows a UniFi Switch to route traffic between VLANs and to other destinations using static routes. It is possible use L3 Routing with a UniFi Gateway or third-party gateway. Note: ...

Network Switches

Cisco network switches deliver performance, flexibility, and security. Cisco switches are scalable and cost-efficient and meet the demands of hybrid work.

How to Set Up a Hikvision IP Camera (2026 Guide): Activation, IP ...

Hikvision IP camera Power adapter or PoE switch – I use a Hikvision POE Switch Network cable (Ethernet) Computer or laptop SADP Tool installed on your computer The SADP

UniFi Cloud Gateway Fiber (UCG-Fiber) Review: An

With three 10Gbps ports and tons of useful capabilities, Ubiquiti''s new UniFi Cloud Gateway Fiber (UCG-Fiber) is the best non-Wi-Fi router to date.

Power Over Ethernet Feature Overview and Configuration Guide

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Introduction This guide provides an introduction to Power over Ethernet technology, the PoE standards, PoE devices, and how to configure PoE on your switch.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved