Deleting a port from a fiber optic switch zone



Overview

Deleting a ZoneDeleting a Zone Use the following procedure to delete a zone. Connect to the switch and log in using an account with admin permissions. Prop.

Key Takeaways

To delete a port from a Fibre Channel switch zone, remove the port from the zone configuration and commit the changes to the active zone set. Steps to Remove a Port from a Zone1.

Identify the Zone and Port

Determine the zone that contains the port you want to remove. You can identify the port by its Port World Wide Name (pWWN), switch interface, or FC ID depending on whether the zoning is port-based or interface-based ( ). 2.

Access the Switch

Log in to the switch using an account with administrative privileges. You can use either the CLI or the management GUI ( ). 3.

Remove the Port from the ZoneIn the CLI, use the command to remove the member from the zone. For example, on Cisco MDS switches:zone name remove member If using a GUI, select the zone, choose the port/member, and select the remove option ( ). 4.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Handle Empty Zones

If the port being removed is the only member of the zone, the zone itself will be deleted automatically from the fabric ( ). 5.

Commit the Changes

After removing the port, save the changes to the defined configuration and activate the zone set:copy running-config startup-configzoneset activate name vsan This ensures the changes are applied to the active fabric ( ). 6.

Verify the Changes

Check the zone membership to confirm the port has been removed:show zone vsan show zoneset active This step helps ensure no unintended disruptions in the fabric ( ). Additional ConsiderationsVSANs: Ensure you are modifying the correct VSAN if multiple VSANs exist on the switch ( ). Multi-switch Fabrics: If the zone spans multiple switches, changes must be consistent across all switches in the fabric ( ).

Active Traffic: Avoid removing ports that are actively handling traffic to prevent disruptions. Backup Configuration: Always save a backup of the current configuration before making zoning changes. By following these steps, you can safely remove a port from a Fibre Channel switch zone while maintaining fabric stability and ensuring proper activation of the updated zone configuration.

Article Content

Deleting a Zone

Deleting a Zone Use the following procedure to delete a zone. Connect to the switch and log in using an account with admin permissions.

Proper way to delete port-channel and associated interfaces

So, in order to properly remove a port-channel and its associated interfaces from a Nexus switch with a vPC setup, a systematic and coordinated approach must be followed.

Solved: Removing port from channel-group

Solved: I''ve run into an odd issue with port aggregation where I decided to remove a port from a port channel and put it into another but in my SNMP tool it still belongs to the old port channel

Decommissioning Host or Storage Ports from a Fabric

© 2026 EXF OPTICAL NETWORKS - All rights reserved

SANnav supports deleting zones and zone aliases with mixed member types. The bulk delete operation is supported only when the seed switch of the fabric is running with Fabric OS (FOS) version 9.0.x or

Adding zones, Deleting zones, Configuring interfaces – Fortinet ...

Go to System > Network > Zone. Select Delete. to remove a zone from the list. Select OK to delete the zone. subinterfaces. All of these procedures can be used for physical FortiGate interfaces. and for

Troubleshooting Tip: Unable to remove interface from a zone

Attempting to remove port2 from the Outside zone fails. Removing port2 in the GUI: No errors are displayed in the GUI, however, port2 remains in the zone. When trying to remove port2

Fibre Channel Zoning Fundamentals All You Need to Know

This type of zoning is very restrictive - if a device is moved to a different port on the switch, it can lose access. Very limited use with customers. Not recommended. How Does Zoning Work?

Removing ports from the LAN hardware switch interface

In the Interface Members box, remove two physical ports by clicking the X for each one. The two ports with the highest numbers are often used, but any port can be used.

How to Remove Port Channels on Cisco Switches

Learn how to delete port channels on Cisco switches. This guide covers commands for removing port profiles and resolving LACP issues.

How to Install and Remove Optical Modules Safely

Install optical modules safely with ESD protection, proper handling, and dust control. Follow these steps to avoid damage and ensure network reliability.

Deleting a zone configuration, Abandoning zone configuration

Zone configurations 11 Deleting a zone configuration Use the following procedure to delete a zone configuration: 1. Connect to the switch and log in using an account with admin permissions. 2. Enter

How to Install and Remove Optical Modules Safely

Small Form-factor Pluggable modules (SFP module) are the workhorses of modern network connectivity, enabling flexible fiber optic or copper links between switches, routers, firewalls,

© 2026 EXF OPTICAL NETWORKS - All rights reserved

ITPro Today, Network Computing, IoT World Today combine

ITPro Today, Network Computing and IoT World Today have combined with TechTarget . The page you are looking for may no longer exist.

Clearing All Zone Configurations

Clearing All Zone Configurations Use the following procedure to clear all zone configurations. Connect to the switch and log in using an account with admin permissions.

zoneDelete

Home Fibre Channel Networking Fabric OS Software Brocade® Fabric OS® Command Reference Manual, v9.0.x Fabric OS Commands zoneDelete

Decommissioning Host or Storage Ports from a Fabric

Decommissioning Host or Storage Ports from a Fabric SANnav supports decommissioning host or storage ports from a fabric. To decommission server or storage ports from a fabric, you must clean

Unveil the Secrets of SFP Module Installation and Removal

After inspecting and cleaning the fiber-optic end-faces, you can now remove the dust plugs from the SFP transceiver module bores and attach the network interface cable to the module.

Clear Cisco MDS Zoning – Don''t Call Me Captain

One of the things I needed to do was clear the zoning on the Fibre Channel switches and create new zones. The current set of zones was created for the ATTO Fibrebridge 6500N and I''m

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved