
European Direct-Buried Ordinary Optical Cables



Overview

This part of IEC 60794 is a detailed specification for duct and directly buried optical telecommunication cables for use in premises cabling to ensure compatibility with ISO/IEC 11801 and ISO/IEC 24702. Note that Recommendation ITU-T L. Already know what you are looking for?

Already know what you are looking for?

Visit all our outdoor cables here. 0 HDPE 144. competitive manufacturer here, in the US. We've built our production site from scratch in Arlington, Texas, set the bar in the industry for long-term reliable per ormance and now we are rapidly developing. It attains its mechanical robustness and functional performance through its corrugated steel tape (CST) reinforcement. Needs no further protection at underground installations.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

Recommendation ITU-T L.101 (08/2024)

Recommended technical requirements are detailed by reference to IEC 60794-3-11 on outdoor optical fibre cables for duct, directly buried, and lashed aerial applications. Changes and

Direct Buried Fiber Optic Cables | Corning

Featuring a single central buffer tube, this cable design is very compact, light and flexible with fiber counts from 4 to 12 fibers. Also featuring steel-tape armour to

Fibre Optic Cables for the European Market

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Global presenceSecured partnershipDeveloping own local production siteMike Riddle, President of Incab AmericaSupply experienceA passion for sustainabilityLean productionRecyclable and reusable wastesSustainable Development GoalsPeople, Culture, OrganizationMissionABC ConfiguratorBlowingCable designCable designDuctingCable designHigh fibre countFeaturesReduced weight and sizeCable designFeaturesCable designImproved reliability due to inner jacketingCable designFeaturesCable designFeaturesIncreased tightness due to application of water-swellable tapeCable designFeaturesCable designCable designDirect BuriedFeaturesCable designFeaturesIncreased tightness due to application of water-swellable tapeCable designFeaturesProven reliable designCable designCable designFeaturesCable designFeaturesReduced weight and sizeCable designFeaturesReduced weight, suitable for aerial installationCable designFeaturesCable designExcellent rodent resistanceCable designFeaturesReliable protection from serious mechanical impactCable designSuitable for harsh environment applicationsCable designFeaturesExcellent rodent resistanceCable designFeaturesCable designFeaturesAluminum and polymer tape protects optical fibre from hydrogen penetrationCable designFeaturesAluminum and polymer tape protects optical fibre from hydrogen penetrationCable designSuitable for application in harsh environmentsCable designSuitable for application in harsh environmentsCable designAerialCable designUltra-light weightCable designCable designWide range of operating temperatures. Installation temperature down to -30°CCable designCable designFeaturesAll-dielectric designCable designCable designCable designIndoorCable designUV-resistantCable designCable designUV-resistantCable designCable designAll-dielectric designCable designFeaturesCable designDropCable designCable designFeaturesCable designOPGW / Ground WireFeaturesCable designFeaturesAluminum alloy wires shield the high-voltage conductors from lightning strikesCable designFeaturesCable designFeaturesOptical ground wire (OPGW) shields high-voltage conductors from lightning strikesCable designFeaturesCable designFire RatedFeatures Cable designExcellent rodent resistanceCable designUV resistanceCable designTechnical InformationDigital AssistantsReel Capacity CalculatorTruck Load CalculatorSales teamBerlin, Germany Incab Europe Texas, USA Incab America incabeurope incabamerica See more on incabeurope European Standards

BS EN 60794-3-12:2013 Optical fibre cables Outdoor cables. Detailed ...

This part of IEC 60794 is a detailed specification for duct and directly buried optical telecommunication cables for use in premises cabling to ensure compatibility with ISO/IEC 11801 and ISO/IEC 24702.

IEC 60794-3-10:2015

IEC 60794-3-10:2015 which is part of a family specification, covers optical telecommunication cables to be used in ducts or direct buried applications. The cable may also be used for lashed aerial

Cables for direct buried installation | Melbye

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Cables designed for direct burial installation and has full rodent protection. It attains its mechanical robustness and functional performance through its double sheath and corrugated steel tape (CST)

Direct Burial Fibre Optic Telecoms Cables Bulk | Webro Cables

Trust our Direct Burial Cables for outdoor installations, offering robust protection and weather resistance. Contact us on 0115 972 4483 for UK-wide delivery.

Direct Bury (DB) Traditional Cable | Emtelle

Our Emtelle Direct Bury Traditional Cable range is predominantly deployed by direct burial installation into suitable prepared ground, due to its exceptional strength

Direct buried cables

Rodent protected non-metallic optical fibre cable for direct buried installation. Suitable also for duct installation by pulling. Stranded optical fibre cable for challenging conditions. Nestor Cables is a

Direct buried cables

Direct buried cables Direct buried cables are buried under the ground without separate coverings, and therefore they might face extreme conditions, for example changing temperatures and moisture.

Direct Buried Fiber Optic Cables | Optical

ALTOS® Lite Loose Tube The most commonly deployed outdoor cable design, with fiber counts from 12 to 432 fibers. Armored construction provides crush and

Buried conduits and ducts

The use of unarmoured cables, such as HO7RN-F rubber flexible cables or unarmoured XLPE cables buried in the ground, is becoming more popular,

Direct Burial Fiber Optic Cable Stranded Loose Tube

Direct burial fiber optic cable is a kind of cable which is armored with steel tape or steel wire outside and can be directly buried in the ground.

Direct Buried Optical Fiber Cable Laying Method

The direct buried optical cable is armored with steel tape or steel wire on the outside, and is directly buried in the ground. It is required to have the

Direct Burial Fiber Optic Cable G652D OM3 G657A1

Because direct burial fiber optic cable is perfect for underground installation. Our cable is armored and rodent-resistant. A rugged armored fiber cable to be buried

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Understanding an optical fibre cable datasheet

The objective of this document is to give an understanding of an optical cable datasheet. In this document, the interaction between cable features and the couple “Standards + Criteria” is explained

Indoor/Outdoor Direct Buried Cables | Corning

Corning Optical Communications Corning Inc. Business Segments Sustainability Investor Relations Newsroom Supply Chain Social Responsibility Supplier Responsibility Careers Our Values Our

Direct Buried Fiber Optic Cables | Corning

In the absence of duct infrastructure, cables can be buried directly into the ground in a trench or using a vibratory plow.

Direct Buried Fiber Optic Cable

Whether it''s a solid armored fiber optic cable buried directly in the ground, or a conduit that can pass anything, a direct burial fiber optic cable is an ideal

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved