Fiber optic coupler ceramic sleeve model



Overview

25mm OD Ceramic Sleeve For LC Fiber Connector is a high-precision alignment component used in LC adapter assemblies. Crafted from premium zirconia ceramic, it provides excellent concentricity and wear resistance, ensuring low insertion loss and high repeatability in fiber. The 1. All couplings comply with the corresponding Standards IEC 61754-4 and GR-326 for single-mode and multimode technology. Single-mode coupling for both PC and APC connections are equipped wih. The L-com Simplex Metal ST couplers series features multiple mounting options for 3/8” D hole and standard rectangular cut out style panels. This series also features ceramic alignment sleeves to meet your specific design requirements. Kyocera's extrusion molding process creates ferrules with excellent coaxiality, and our precision machining ensures excellent concentricity with precise. Our mating sleeves connect any fiber cable terminated with industry-standard FC/PC, FC/APC, SMA, LC/PC, LC/APC, ST/PC, E-2000 ®* /PC, and SC/PC connectors. Meets or exceeds. Phosphor Bronze Split Sleeve for 2. 5mm Ferrules for Multimode Applications. FC, SC, ST, LC, MTP, E2000, SMA, MU, MTRJ, and more types.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

Fiber Optic Couplings, Type SC | Corning

Corning offer a wide range of RoHS compliant SC couplings for all applications in Primise and FTTX networks. All couplings comply with the corresponding Standards IEC 61754-4 and GR-326 for single

Fiber Coupler, ST / ST, Ceramic Alignment Sleeve

This series also features ceramic alignment sleeves to meet your specific design requirements. Additionally, these couplers can be used with PC or UPC style

Ceramic Ferrules / Sleeves | Ceramics for Optical

Our ferrules and sleeves are available in standard size and shape configurations. For standard products, please see the following. Kyocera can machine the end

Fiber Optic Mating Sleeves and Bulkhead Adapters

Thorlabs'' FC/PC, FC/APC, SMA, and ST/PC Bulkhead Adapters contain one connector for applications that require the projection of light into free space (the

6-SC-Duplex (12 Fibers) Single Mode Adapters, Ceramic Sleeve

Ortronics fiber adapter panel allows for flexibility and expansion with an industry accepted style. The adapter panel snaps in for installation and can be removed easily for future changes.

Fiber Optic Adapters (Couplers), Ferrules, Sleeves

In-series couplers, between-series hybrid adapters, connector ferrules, and splice alignment sleeves. FC, SC, ST, LC, MTP, E2000, SMA, MU, MTRJ, and more types.

Fiber Optic Connectors & Ceramic Ferrules | SC, LC, FC, ST, MPO

Upgrade your network performance with our professional-grade Fiber Optic Connectors. Featuring high-precision Zirconia Ceramic ferrules for minimal signal loss, our selection includes industry-standard

Zirconia Ceramic Sleeves, Ceramic Split Sleeves, Ceramic

Ceramic sleeves (zirconia sleeves) are mostly used in Fiber Optic Adpaters for the main purpose of connecting and aligning two inserted Ceramic Ferrules together.

Fiber Optic Standard Coupler, ST to ST Simplex,for

The Polyphaser OFC-STST-A-HZ0MMT0 is a fiber optic coupler for use with ST simplex connectors. The Polyphaser OFC-STST-A-HZ0MMT0 has a ceramic

© 2026 EXF OPTICAL NETWORKS - All rights reserved

1.25mm OD Ceramic Sleeve For LC Fiber Connector

The 1.25mm OD Ceramic Sleeve For LC Fiber Connector is a high-precision alignment component used in LC adapter assemblies. Crafted from premium

Ceramic ferrules/ sleeves, for fiber-optic communications

Ceramic sleeves (zirconia sleeve) are mostly used in Fiber Adpater for the main purpose of connecting and aligning two inserted Ceramic Ferrules

Fiber Optic Economy Coupler, SC, simplex single

The L-com FOA-SCSM1-PC0F is a fiber optic economy coupler. The FOA-SCSM1-PC0F has SC connectors for simplex single mode fiber. It features plastic body

Fiber Optic Economy Coupler, LC, duplex multimode Aqua, plastic body ...

The L-com FOA-LCM32-PC0F is a fiber optic economy coupler. The FOA-LCM32-PC0F has LC connectors for duplex multimode Aqua fiber. It features plastic body with ceramic sleeve and w/

Fiber Optic SC Couplers

These L-com simplex plastic SC couplers are designed for mounting in standard rectangular cut out style panels. This series features either bronze or ceramic alignment sleeves to meet your specific

Ceramic Split Sleeve

Our Ceramic Zirconia Fiber Optic Alignment Tubes & Mating Sleeves are available for Singlemode and Multimode mating adapters. Reliable alignment

Fiber Optic Couplings, Type SC | Corning

Single-mode coupling for both PC and APC connections are equipped wih Zirconia ceramic split sleeves to ensure best alignment and high performance also under temperature extremes and rough

FOA-001A Datasheet

The L-com Simplex Metal ST couplers series features multiple mounting options for 3/8” D hole and standard rectangular cut out style panels. This series also features either bronze or ceramic

Fiber Coupler, SC / SC (Plastic Body), Bronze

These L-com simplex plastic SC couplers are designed for mounting in standard rectangular cut out style panels. This series features either bronze or ceramic

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved