
Latvian DAC High-Speed Cable 200G



Overview

Discover the BlueOptics QSFP-200G-C3M-BL DAC cable 3m with QSFP56 connectors. Fast delivery in Riga Latvia and EU.

Article Content

DAC Cable BlueOptics QSFP-200G-C3M-BL | AiO.lv

Discover the BlueOptics QSFP-200G-C3M-BL DAC cable 3m with QSFP56 connectors. Fast delivery in Riga Latvia and EU.

JTOPTICS 200G DAC Cables | High-Performance 200G Solutions

These cables provide low-latency, high-bandwidth solutions suitable for modern data center demands. Discover JTOPTICS 200G DAC Cables for seamless, high-speed data transmission in scalable

OSFP Direct Attach Cables (200G/400G/800G DAC)

Our OSFP Cable line-up is OSFP MSA compliant and protocol agnostic for worry-free integration into 200/400/800-Gigabit Ethernet and InfiniBand networks.

High Speed Cable Assemblies | High-Speed

The same 200G, 400G and 800G PAM4 connectors used in these cable assemblies are also available as transceivers. Typical applications include data centers

0.5m (1.6ft) 200G QSFP56 Passive Direct Attach Cable for Arista

© 2026 EXF OPTICAL NETWORKS - All rights reserved

The high-speed Ethernet solution based on 200G AOC/DAC offers superior connectivity performance, meeting the demands for higher data transfer rates. It enhances system throughput and response

NVIDIA Mellanox LinkX InfiniBand DAC Cables and

NVIDIA ® Mellanox ® LinkX ® InfiniBand DAC cables are the lowest-cost way to create high-speed, low-latency 100G/EDR and 200G/HDR and 400G/NDR links

High Speed DAC Cable 200G QSFP56 High-Speed DAC Cable

High Speed DAC Cable 200G QSFP56 High-Speed DAC Cable | Passive Direct Attach Copper Twinax for AI Computing & HPC Data Centers

Scalable DAC Cable Design for 200G 400G 800G and 1.6T Data

Multi-lane Architecture and Bandwidth Scaling High speed DAC cables rely on parallel lane architectures to achieve aggregate throughput targets. For example, a 400G link may consist of eight 50 Gb/s

Direct Attach Copper (DAC) Cables

High-speed Volex Direct Attach Copper (DAC) cables deliver reliable, energy-efficient data transfer for data centers. Customizable, tested and ready to deploy.

200G QSFP56 PSM4 Direct Attach Passive Copper Cables

Ascent''s QSFP56 passive copper cable assembly feature eight differential copper pairs,providing four data transmission channels at speeds up to 56Gbps(PAM4) per channel,and

Wholesale 200G DAC Cable| 200Gbps Twinax Direct Attach Cable

A 200G DAC cable (Direct Attach Copper cable) is a high-speed, cost-effective solution for short-range data center interconnects. It uses copper wiring to connect switches, servers, or routers, supporting

OSFP Direct Attach Cables (200G/400G/800G DAC)

OSFP Direct Attach Cables (200G/400G/800G DAC) OSFP Cables (OSFP DAC Cables) by Amphenol Now In-Stock at Speeds up to 800.0 Gbps with 1600 Gbps

Dell Networking Cable, DAC, QDD, 200G, 3m | Dell USA

Dell Networking Cable, DAC, QDD, 200G, 3m This Dell Networking Direct Attach Cable is used to link your fiber networking devices for high-speed, long-distance connectivity.

200G QSFP28-DD Direct Attach Cable | AscentOptics

© 2026 EXF OPTICAL NETWORKS - All rights reserved

200G QSFP28-DD DAC Product Descriptions 200G QSFP28-DD (Double-Density) DAC cables are passive Direct Attach Copper (DAC) cables as high speed, cost-effective alternatives to fiber optics

Spec Sheet

Regional Availability — Global Siemon''s 200G (50G per lane) PAM4 Ethernet or InfiniBandTM QSFP56 passive and active copper cable DAC1 assemblies are designed to exceed industry standard

200G QSFP56 Direct Attach Cable | AscentOptics

200G QSFP56 DAC cables are high speed, cost-effective alternatives to fiber optical transceivers in 200G Ethernet and 200Gb/s InfiniBand HDR applications. The QSFP56 direct-attach passive copper

200G Transceivers and Cables

200G Transceivers Guide 200G transceivers, Active Optical Cables (AOCs), and Direct Attach Copper (DAC) cables are essential for high-speed networking in

200G QSFP56 PCC/ACC

The GIGALIGHT 200G QSFP56 pluggable direct attach copper (DAC) cable is available in both Active Copper Cables (ACC) and Passive Copper Cables (PCC) supports 200G Ethernet and InfiniBand

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved