Madagascar Spot Transimpedance Amplifier QSFP



Overview

The MATA-40734/36 consumes very low power, typically 300mW, allowing it to be used in high density optical interconnect solutions. Features include RSSI for photo-alignment and power monitoring, and I2C control of Bandwidth, Output Amplitude, Peaking, Loss of Signal (LOS), Gain and. 100G up to 800G High frequency low power linear transimpedance amplifiers and linear drivers for both SiPh & InP Mach-Zender modulators Highly integrated low power NRZ/PAM4 digitally assisted transceiver technology with sophisticated calibration and self-test features. SFF-8635 QSFP+ 4X 10 Gb/s Pluggable Transceiver Solution (QSFP10) SFF-8685 QSFP+ 4X 14 Gb/s Pluggable Transceiver Solution (QSFP14). Transimpedance amplifiers (TIAs) act as front-end amplifiers for optical sensors such as photodiodes, converting the sensor's output current to a voltage. MACOM Technology Solutions Inc. Though they look very similar in physical appearance but the transmit data rates are quite different. The QSFP has evolved to QSFP+ to meet 10.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

MATA-40764B

MATA-40764B Quad Linear 227Gbps PAM4 Transimpedance Amplifier with PD The MATA-40734/36 Quad Linear TIA supports high bandwidth optical data links. The MATA-40734/36 consumes very

SFF-8679 Specification for QSFP+ 4X Hardware and Electrical ...

ABSTRACT: This specification defines the contact pads, the electrical, power supply, ESD and thermal characteristics of the pluggable QSFP+ module or cable plug.

Specification – QSFP-DD

September 27, 2023 – QSFP-DD/QSFP-DD800/QSFP-DD1600 Hardware Specification for QSFP DOUBLE DENSITY 8X AND QSFP 4X PLUGGABLE TRANSCEIVERS – Rev 7.0 July 26,

What you need to know about transimpedance amplifiers part 1

In this series of blog posts, I will show you how to compensate a TIA and optimize its noise performance. For a quantitative analysis of a TIA''s key parameters, such as bandwidth, stability and noise, please

MACOM adds MATA-05817 and MATA-38134

MACOM Technology Solutions Inc. has unveiled a pair of transimpedance amplifiers (TIAs) for use in QSFP, QSFP-DD, and OSFP optical

QSFP28 vs QSFP+ vs QSFP – Difference

This document will focus on QSFP, QSFP+ vs QSFP28. Though they look very similar in physical appearance but the transmit data rates are quite

MACOM Extends Transimpedance Amplifier Portfolio Covering 100G

The new TIAs are available today in flip chip and wire bonding packaging options for fast, flexible deployment in QSFP, QSFP-DD and OSFP optical modules. The rapid evolution to single

SFF-8665 QSFP+ 4X Pluggable Transceiver Solutions

24 ABSTRACT: This specification defines the physical interface, low speed electrical, and management interface 25 requirements of QSFP+ 4X pluggable transceiver solutions including: QSFP10, QSFP14,

Credo intros Quad Channel Transimpedance Amplifier

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Credo Technology Group announced the availability of Teal 200, a 4 x 50Gbps Transimpedance Amplifier (TIA) for QSFP56, QSFP-DD and OSFP

MACOM Extends Transimpedance Amplifier Portfolio Covering 100G

MACOM Extends Transimpedance Amplifier Portfolio Covering 100G to 800G Applications Linear 53 GBaud PAM-4 MATA-05817 TIA delivers industry-leading low noise performance while supporting

FiberEdge® for 400G and 800G Data Center

Semtech Announces Availability of Reduced Channel Pitch FiberEdge® Linear Transimpedance Amplifier for 400G and 800G Data Center

Optical Amplifiers Accelink | Lighting Your Dreams

Pluggable Amplifier Accelink pluggable amplifiers are a series of EDFAs that support hot plug and are compatible with various pluggable small form factor standards, such as

QSFP-DD Hardware

17 16 15 September 29, 2023 19 18 Abstract: This specification defines: the electrical and optical connectors, electrical signals and power supplies,

QSFP-SOA (QSA)

The world first pluggable QSFP-SOA, QSA is a full-functioning SOA module with control circuitry packaged inside. It is totally compatible with conventional QSFP optical transceiver in respect of size

Cisco QSFP-DD Pluggable Open Line System (QDD

Learn more about the Cisco QSFP-DD Open Line System (QDD OLS), a pluggable optical amplifier module that provides a simple yet powerful

Transceivers Explained: SFP vs SFP+ vs SFP28 vs QSFP+ vs QSFP28

Discover the key differences between SFP, SFP+, SFP28, QSFP+, and QSFP28 transceivers. Learn which is right for your network.

What is QSFP QSFP Working Principle and Design

40G QSFP+ transceiver is now taking the place of the 10G SFP+ transceiver and becoming the mainstream in today''s fiber optic transceivers

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved