Manufacturer s aggregation switch QSFP-DD



Overview

Supporting the continuing growth in the bandwidth demand and datacenter traffic driven by networking and AI/ML requirements, the QSFP-DD (Double Density) Interconnect System delivers 8 lanes with up to 28 Gbps NRZ or 56 Gbps-PAM4 (up to 400 Gbps aggregate) in a compact footprint. Supporting the continuing growth in the bandwidth demand and datacenter traffic driven by networking and AI/ML requirements, the QSFP-DD (Double Density) Interconnect System delivers 8 lanes with up to 28 Gbps NRZ or 56 Gbps-PAM4 (up to 400 Gbps aggregate) in a compact footprint. This guide provides a comprehensive overview of QSFP-DD compatible switches across major vendors, explains the fundamentals of backward compatibility at the port level, and outlines how to verify transceiver compatibility before procurement. What Makes a Switch QSFP-DD Compatible?

A switch is. QSFP-DD (quad small form-factor pluggable double density) doubles the capacity of QSFP interconnects with an eight-lane electrical interface capable of 28 Gbps NRZ, 56 Gbps PAM4, and 112 Gbps PAM4 to achieve up to 800 Gbps per port. QSFP-DD connector portfolio's backwards compatibility allows. Amphenol's QSFP-DD high-speed connector family features a scalable, high-performance interconnect platform with 76 contacts on a 0. 8mm pitch and a dual-mating interface. The QSFP-DD family supports legacy QSFP channels on the front interface and four additional channels on the rear interface. Description: QSFP DD Connectors.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

QSFP-DD Compatible Switches: Complete 2025 Vendor Guide

Find which switches support QSFP-DD modules. Our 2025 guide covers Cisco, Arista, Juniper and NVIDIA platforms with backward compatibility tips.

QSFP-DD Connectors, Cages and Cable Assemblies

QSFP-DD provides high-performance computing capability. The QSFP interconnects density is doubled with electrical interface, providing superior

QSFP-DD Connectors | High Speed I/O | Amphenol

The QSFP-DD family supports legacy QSFP channels on the front interface and four additional channels on the rear interface. This interconnect

QSFP-DD Connector System

QSFP-DD Interconnect System''s 8-lane electrical interface transmits 28G NRZ, 56G PAM-4 and 112G PAM-4, up to 200, 400 or 800 Gbps aggregate. Backwards

QSFP Double Density (DD) Interconnect System

Amphenol Commercial QSFP Double Density (DD) Interconnect System is backwards mating compatible with QSFP products. The connectors

H3C S9855 DataCenter Switches-H3C

The switch offers high-density 400G/200G/10G ports and a forwarding capacity as high as 16Tbps, which enables the switch to provide high-density server access

Cisco QSFP-DD and OSFP 800G ZR/ZR+ Coherent

These digital coherent optics modules enable 800G traffic over amplified DWDM links up to 120 km for 800ZR and over 1000 km for 800G ZR+.

HPE Networking Comware Data Center Switch 64p

High-performance 25.6 Tbps, high-density access, aggregation or core switch designed for enterprise data centers, cloud service providers, and telcos.

Lanbras – Professional Network Switch Manufacturer

Lanbras is a leading manufacturer of advanced optical and ethernet transmission solutions, specializing in the design, development, and manufacturing of high

QSFP-DD Optical Transceiver Market: Growth Drivers & Forecasts?

© 2026 EXF OPTICAL NETWORKS - All rights reserved

The QSFP-DD Optical Transceiver market projects 11.47% CAGR to $11.14 billion by 2025, driven by AI & data center demand. Analyze key trends and competitive landscape.

QSFP28 Transceiver: Complete 100G Connectivity Guide (2026)

The QSFP-DD switches allow you to use your current QSFP28 modules when you need to switch to 400G. The system provides you with backward compatibility that benefits your operations.

Pluggable Optical Module Market Research Report 2034

The QSFP+ form factor''s success has also paved the way for QSFP28 (100G) and QSFP-DD (400G/800G) form factors, which leverage compatible mechanical interfaces and connector systems,

Understanding the OSFP Standard: The Open 400G/800G Optical

Introduction: The Shift from QSFP-DD to OSFP As data centers transition from 400G to 800G interconnects, bandwidth demand, power efficiency, and thermal constraints have forced the

QSFP-DD (Double Density) Interconnect System and Cable

QSFP-DD Interconnect System''s 8-lane electrical interface transmits up to 28 Gbps NRZ or 56 Gbps PAM-4, up to 200 or 400 Gbps aggregate, with the same footprint as QSFP Interconnects, making

SFP-DD (56G PAM-4) Connector System | Molex

SFP-DD Module and Cage/Connector System delivers a 2-lane electrical interface, complementing QSFP-DD top-of-the-rack interfaces, and addresses issues caused by underpopulated lanes in file

QSFP DD Connectors

Amphenol Communications Solutions'' QSFP DD interconnect system is comprised of a 76-position, 0.8 mm pitch connector built for use in high-speed

QSFP28 Price Guide 2026: 100G Transceiver Costs & TCO

Real QSFP28 pricing for 2026: SR4, LR4, CWDM4, and single-lambda costs. Compare OEM vs third-party, volume discounts, and hidden TCO factors.

400G QSFP-DD Cable and Transceiver Modules Data Sheet | FS

Product overview The FS® 400GBASE Quad Small Form-Factor Pluggable Double Density (QSFP-DD) portfolio offers customers a wide variety of super high-density transceiver modules and the flexibility

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved