Optical Analog Input Module



Overview

This Isolated Analog Input module is designed for industrial applications, optically isolating 0−5V sensor signals to output 0−3. It uses a linear optocoupler (3750V isolation) and requires two separate 5V supplies. A simple resistor change allows it to accept. Opto 22 products are ideal for OEMs and machine designers, process control, machine monitoring, power and energy monitoring, predictive maintenance, remote installations like water-wastewater and oil & gas, SCADA, and industrial internet of things applications. A simple resistor change allows it to accept 0−10V inputs. Interfacing an analog voltage, an analog sensor to. Snap Analog Input Module, 5 VDC @ 170 mA ●Rugged packaging ?

Convenient pluggable wiring ?

Out of range indication ?

Accepts upto 14 AWG wire The SNAP-AITM2 module provides an input range of ±50 mV, ±25 mV, or Type B, C, D, G, N, T, R, or S thermocouple. Since both inputs share the same reference.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

Optically Isolated Analog Input Module for Arduino

Hook up the sensor or analog voltage to the input of this module and connect the output to the Analog Pin of Arduino or ADC of any microcontroller. The circuit is based on an optically

Isolated Analog Input Module v2

The module simplifies the task of connecting analog voltages or sensors to Arduino boards or other microcontrollers while ensuring complete optical isolation. It requires two separate

Optically Isolated Analog Input Module for Arduino

The module is very useful for in-process controls, factory automation, industrial applications, etc. Interfacing an analog voltage, an analog sensor to Arduino or other various microcontrollers with

Opto 22 SNAP-AITM I/O Module, 5 VDC

The SNAP-AITM2 module provides an input range of ±50 mV, ±25 mV, or Type B, C, D, G, N, T, R, or S thermocouple. Since both inputs share the same reference terminal, use isolated probes for

1065_SNAP_Analog_Input_Mods_data_sheet.fm

These software-configurable modules handle a wide variety of signal levels. They provide high resolution (0.004% of nominal range) for precise signal levels, as well as multiple-channel packaging. All SNAP

Analog Input/Output Module Solutions | Analog Devices

Analog Devices'' portfolio includes integrated products to build new signal chains for fixed function analog input and analog output modules. With decades of experience providing proven analog solutions for

Why Use Isolated I/O Modules? Allen Bradley, Siemens, Schneider,

Isolated I/O modules, available across leading manufacturers like Allen-Bradley, Siemens, Schneider, and Omron, offer true channel isolation that neutralizes ground loops, enhances noise immunity, and

Universal Input/Output Module Solutions | Analog Devices

With deep domain expertise in the process control industrial I/O domain, Analog Devices pioneered the SWIO concept and has worked with our industry partners to provide a highly flexible and valuable

© 2026 EXF OPTICAL NETWORKS - All rights reserved

IC693ALG223 GE Series 90-30 16-Channel Analog Input Module

Order the GE IC693ALG223 Analog Input Module. Brand New, Original Stock, Global Shipping available for GE Fanuc Series 90-30 PLC maintenance.

Opto-isolator

An opto-isolator contains a source (emitter) of light, almost always a near infrared light-emitting diode (LED), that converts electrical input signal into light, a closed optical channel (also called dielectrical

What is Optical Audio？ Understanding Optical Output,

Explain what optical audio is, how optical ports work on TV and sound system, and the role of optical receiver in delivering quality audio.

RF over Fiber (RFoF) Converter and RF Bands | RFOptic

RF over Fiber Converter modules convert RF signals to optical signals and vice versa for applications in 5G, GPS, broadcast & more.

Precision Without Compromise – Razer Introduces the Huntsman V3 ...

Built on the competitive DNA of the Huntsman line, the Razer Huntsman V3 Tenkeyless 8KHz is an analog optical esports keyboard that delivers ultra-low Built on the competitive DNA of

Yokogawa AMM22C mV Input Multiplexer Module Troubleshooting

The Yokogawa AMM22C mV Input Multiplexer Module is a high-precision analog input module used in Yokogawa CENTUM CS and CENTUM VP Distributed Control Systems (DCS). The

5094 FLEX 5000 I/O Modules Technical Documentation

Quickly access technical specifications, installation instructions, and manuals for Allen-Bradley Bulletin 5094 FLEX 5000 I/O and communication modules.

[PSS 21H-8A1B4] C50 Analog/Digital Input Module

The analog input subsystem performs the data sampling and processing for all analog input points. The module provides protection against surge transients and noise, delivering a multiplexed sample to

SHIMADZU CORPORATION

Since 1875, Shimadzu is pursuing leading-edge science and technologies in analytical and measuring instruments including chromatographs and mass

ams OSRAM is a global leader in innovative light and sensor solutions ...

© 2026 EXF OPTICAL NETWORKS - All rights reserved

We offer a distinct product and technology portfolio for sensing, illumination and visualization from high-performance LEDs and lasers to mixed-signal analog ICs and sensors for Automotive, Industrial,

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved