
Optical module cage dimensions



Overview

An optical cage system uses four rigid steel rods to mount optical components along a common optical axis. Cage systems are available with center-to-center rod spacings of 16 mm, 30 mm, or 60 mm so as to accommodate Ø1/2", Ø1", or Ø2" optics, respectively. OptoSigma's CAGE Systems come in three (3) standard sizes, P16 (diameter: 4mm rods, 16mm pitch between the rods), P30 (diameter: 6mm rods, 30mm pitch between the rods) and P60 (diameter: 6mm rods, 60mm pitch between the rods). While electrical and diagnostic parameters are covered by related. Small in size and compatible with standard interfaces such as SFP, QSFP and OSFP, it saves internal equipment space and is shock-resistant and durable Strong versatility Compatible with mainstream high-speed optical module applications, suitable for switches, servers, and other communication. Optical Cage Systems are used to create optical setups in a variety of prototyping or university research applications.

Article Content

Optical Cages

OptoSigma''s CAGE Systems come in three (3) standard sizes, P16 (diameter: 4mm rods, 16mm pitch between the rods), P30 (diameter: 6mm rods, 30mm pitch

Optical Cage Systems

An optical cage system uses four rigid steel rods to mount optical components along a common optical axis. Cage systems are available with center-to-center rod spacings of 16 mm, 30 mm, or 60 mm so

© 2026 EXF OPTICAL NETWORKS - All rights reserved

SFF-8432 Standard: Mechanical Design Framework for SFP+ Optical ...

Learn about the SFF-8432 mechanical standard that defines SFP+ module dimensions, cages, and EMI design — ensuring reliable, interoperable, and future-proof optical performance.

Optical Module Cage+Heatsink

The shielding cage and heatsink are integrally formed, featuring a stable structure and easy assembly, effectively improving the overall integration efficiency of the equipment.

Optical Cage Systems | Edmund Optics

Optical Cage Systems are a collection of mechanical components designed to serve as the structure of an optical system. Optical Cage Systems are designed for modularity with components being

SFP Cage Design: Thermal, EMI & Press-Fit Guide (1G-50G)

Discover the ultimate engineering guide to SFP, SFP+, and SFP28 cage design. Learn thermal management, EMI shielding, and press-fit PCB rules from a 25-year architect.

OSFP OCTAL SMALL FORM FACTOR PLUGGABLE MODULE

In addition, Figure 4-6 shows nominal dimensions between the module and the cage when the module is fully inserted. Note that the compliant pins in the cage are placed to support belly-to-belly applications.

Understanding SFF-8432: The Mechanical Standard Behind SFP

Learn about the SFF-8432 specification, the mechanical standard for SFP+ modules and cages. Discover its role in EMI performance, durability, and interoperability.

OpticsCage+ Optical Cage System

Newport OpticsCage+™ offers fast, snap-in assembly for optical systems. This robust, modular cage system accelerates setup, ensuring precision alignment with unmatched ease of use.

What is a Fiber Optic Cage? The Essential Guide to Optical

Requires specific fiber optic cage dimensions. Multi-port Cages: Houses 2, 4, or even 8 individual SFP/SFP+ modules within a single cage assembly footprint, optimizing fiber optic port

Juniper 800G Optical Transceivers and Cables Guide

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Fully-retimed optics are traditional optical modules designed to ensure the highest levels of signal integrity and performance. Fully-retimed optics utilize re-timing mechanisms for both the

ELSFP | TE Connectivity

TE Connectivity''s (TE) ELSFP product is a faceplate pluggable form-factor to address the laser packaging requirements for 3.2T co-packaged optical (CPO) systems with optical engines (OEs)

400G Optical Module Selection Guide: QSFP-DD vs.

Compare QSFP-DD, QSFP28, and OSFP form factors. Learn about compatibility, power constraints, migration TCO, and data center selection

What is a Fiber Optic Cage? The Essential Guide to Optical

QSFP Cage: Holds a single Quad Small Form-factor Pluggable (QSFP+, QSFP28, QSFP56, QSFP-DD) transceiver, supporting 40G, 100G, 200G, and 400G speeds. Crucial for high

SFP Cage Replacement_WH81-111-Y0002-1 Replaces SFPCAGE002

VOOHU WH81-111-Y0002-1 is a direct replacement for Pulse SFPCAGE002-L, a 1x1 SFP press-fit shielded cage with pin-to-pin compatibility and matching dimensions. This report provides a

Optical Cages

The CAGE system has no distinction of orientation. Therefore, it is possible to place the holders in various orientations, which is convenient for constructing a three

OSFP OCTAL SMALL FORM FACTOR PLUGGABLE MODULE

More optical connector configurations are added (Section 10.3). Max current to the module is increased to 10A, supporting 30W module (Sec. 11.6). Lower power mode is added to allow up to 2W (Table 11

Optical Cage System Design Examples

Not sure how you can enhance an opical cage system? Check out examples of different design examples applicable for small and large systems at Edmund Optics.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved