Single-fiber bidirectional optical module 1g



Overview

Our 1G BiDi SFP transceivers enable full-duplex communication over a single fiber, reducing fiber usage while maintaining reliable performance. Ideal for enterprise networks, data centers, and telecom applications, these modules support long-distance transmission with low power. SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector. Power Consumption CLASS 1 LASER PRODUCT, IEC/EN 60825-1:2014 Do not look into the ends of the fiber optic cable or SFP module while converters are. This is where BiDi (Bidirectional) SFP optical modules become a game-changer, especially the versatile 1G BiDi SFP. 25Gbps, widely used in Gigabit Ethernet, 1G fiber channel, and SDH. For indoor multi-mode fiber runs, the UF-MM-10G supports up to 10 Gbps over 300 meters, while the UF-MM-1G extends up to 550 meters at 1 Gbps. Copper-to-fiber transitions. FS gigabit ethernet transceiver solutions provide fibre or copper options including 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-T etc., from 100m to 160km, for 1G switches, routers, servers, NICs and other transmission equipment.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Article Content

1G Bidirectional Single-Mode Optical Module

SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector.

1G BiDi SFP Module Selection Guide: Maximize Fiber

Choose the right 1G BIDI sfp module by checking compatibility, wavelength pairing, fiber type, and distance to ensure reliable network performance.

1G BiDi SFP

GIGALIGHT''s 1G BiDi SFP series optical transceiver modules support a speed of 1.25Gbps, widely used in Gigabit Ethernet, 1G fiber channel, and SDH. They can

Ubiquiti UF-SM-1G-S 1G Bidirectional Single-Mode Optical SFP

For infrastructure reuse and efficient fiber utilization, BiDi models like UF-SM-1G-S and UF-SM-10G-S offer bidirectional communication over a single fiber strand, requiring deployment in matched

1G SFP Transceivers | Mini-GBIC SFP Modules

FS gigabit ethernet transceiver solutions provide fibre or copper options including 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-T etc., from 100m to 160km, for 1G switches, routers, servers, NICs

BiDi Optical Modules: Unlocking Single-Fiber

Comprehensive guide on BiDi Optical modules, detailing single-fiber bidirectional connectivity, deployment tips, troubleshooting, and multi-speed

1000BASE SFP (mini-GBIC) Transceivers

FS Gigabit SFP module solutions provide fibre and copper connections up to 160km, includes 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-EX, 1000BASE-ZX,

1G BiDi SFP Module High-Speed Fiber Optic Connectivity

Our 1G BiDi SFP transceivers enable full-duplex communication over a single fiber, reducing fiber usage while maintaining reliable performance. Ideal for enterprise networks, data centers, and telecom

U®Fiber Modules and FiberCable Datasheet

Build your outdoor fiber network using our FiberCable. Lightweight and flexible, FiberCable is ideal for tower deployments of our outdoor routing and switching products, such as the EdgePoint.

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Cisco SFP Modules for Gigabit Ethernet Applications

This data sheet describes the benefits, specifications, and ordering information for the Cisco SFP Modules for Gigabit Ethernet Applications.

BiDi SFP: The Complete Guide to Bidirectional SFP Transceivers and ...

BiDi SFP (Bidirectional Small Form-Factor Pluggable) transceivers have emerged as a powerful solution, enabling full-duplex communication over a single optical fiber. By using

Ubiquiti 1 Gbps Bidirectional Single-Mode Optical Module

Ubiquiti 1 Gbps Bidirectional Single-Mode Optical Module The 1 Gbps Bidirectional Single-mode Optical Module is a simplex transceiver that delivers up to 1.25 Gbps speed over distances up to 3

Small Form-factor Pluggable

Small Form-factor Pluggable Small Form-factor Pluggable connected to a pair of fiber-optic cables Small Form-factor Pluggable (SFP) is a compact, hot-pluggable network interface module format used for

10GE SFP+ Optical Modules

Fan Modules Installing a Power Surge Protector Pluggable Modules for Ports Understanding Optical Modules Understanding Copper Modules Understanding Hybrid Modules Guide to Using Pluggable

Meaning of Optical Module Pull Tap Colors

BIDI SFP Single-fiber Bidirectional Optical Module Pull Tap Color The characteristic of a single-fiber bidirectional optical module is that it can realize signal transmission in two directions

Learn About Optical Transceiver Modules in One Minute

The signal transmission of this optical transceiver module can realize bidirectional transmission through a single optical fiber. Compact SFP Optical Transceiver Module If two identical

Understanding Pluggable Optical Modules

Therefore, optical modules are also classified into single-mode and multimode modules to support different optical fibers. Single-mode optical modules are used with single-mode fibers.

Explanation of Optical Module Parameters

© 2026 EXF OPTICAL NETWORKS - All rights reserved

Dual LC interfaces are suitable for dual-fiber optical modules, while single LC interfaces and SC interfaces are commonly used for single-fiber bidirectional optical modules.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://explosivefunctions.co.za
Technical inquiry: https://explosivefunctions.co.za/contact.html
EU project coordination: Parque das Nações, Lisbon, Portugal

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 EXF OPTICAL NETWORKS - All rights reserved